

Ask your doctor if you have any questions about Slinda or if you have any concerns before, during or after taking Slinda. Further details can also be found in the Consumer Medicine Information (CMI) available from your doctor, pharmacist or **www.besins-healthcare.com.au/patients**



References: 1. Slinda® (drospirenone) Consumer Medicine Information, accessed July 2021. Slinda® is a registered trademark of Besins Healthcare. Besins Healthcare Australia Pty Ltd. ABN 68 164 882 062. Suite 3, Level 2, Tower 1, 495 Victoria Ave, Chatswood, NSW 2067. Office phone (02) 9904 7473. For medical information call 1800 BESINS (237 467). www.besins-healthcare.com.au SLI0016 July 2021.



WHAT TO DO IF YOU MISS A WHITE ACTIVE TABLET¹

If you are ***less than 24 hours late*** in taking any white active tablet, contraceptive protection is not reduced. You should take the tablet as soon as you remember and should take further tablets at the usual time.

If you are ***more than 24 hours late*** in taking any white active tablet, see inside for further advice.



Slinda®
drospirenone 4 mg

IF YOU MISSED A TABLET MORE THAN 24 HOURS AGO¹

Before missing your tablet, did you take the white active tablets correctly for the previous 7 days?

No

Did you have intercourse in the 7 days before missing a tablet?

No

Take the white tablet you missed*

AND

Continue taking other white tablets as normal and use additional contraception[†] for 7 days

Yes

Talk to your doctor or pharmacist for advice

Yes

Does your pack still have at least 7 white active tablets after the one you missed?

No

Take the white tablet you missed*

AND

Finish taking your white active tablets as normal, then skip the green inactive tablets and start a new pack

Yes

Take the white tablet you missed*

AND

Continue taking other tablets as normal

*Take the missed tablet straight away, even if it means taking two tablets at the same time.

[†]A barrier method (e.g. condom). Refer to the Consumer Medicine Information.